

SAFETY COMPLIANCE CHECKLIST

Hazardous Waste Storage Areas		
General		40 CFR
	Is emergency information posted in every area where you store hazardous waste?	262.34
	Is the necessary emergency equipment available (fire extinguishers, spill control supplies, absorbents, MSDS's)?	265.32
Accumulation		
	Are there containers that are used to store waste temporarily (accumulate) before transport?	
	Does each accumulation container meet the hazardous waste container requirements in Part 265 Subpart I?	262.34
	Is each accumulation container marked with the words "Hazardous Waste"?	262.34
	Is each accumulation container marked with the date accumulation began?	262.34
Use and Management of Containers		
	Is each container kept closed, except when adding or removing waste?	265.173
	Does the storage area provide secondary containment?	265.193
	Are areas where containers are stored inspected for leaks at least weekly?	265.174
	Are containers holding ignitable or reactive waste stored at least 50 feet from the facility's property line?	265.177
	Is there sufficient aisle space to allow unobstructed movement of personnel and equipment?	265.3
Shipping		
	Is each container that is being shipped marked in accordance with DOT requirements?	262.32
Fire Protection		29 CFR 1910
	Are all fire extinguishers accessible, and their locations clearly designed?	.157
	Are all fire extinguishers inspected and recharged regularly, and noted on the inspection tag?	.157
First Aid		
	Are emergency eye wash and shower facilities within the immediate work area where employees are exposed to injurious corrosive materials.	.151(c)

Hazardous Waste Storage Areas (continued)

	Are first aid kits easily accessible to each work area, with necessary supplies available, periodically inspected and replenished as needed?	.151(b)
Personal Protective Equipment		
	Are protective goggles or face shields provided and worn where there is any danger of flying particles or corrosive materials?	.133
	Are approved safety glasses required to be worn at all times in areas where there is a risk of eye injuries such as punctures, abrasions, contusions, or burns?	.133
	Are protective gloves, aprons, shields, or other means provided against cuts, corrosive liquids, and chemicals?	.132
	Are employees who need corrective lenses (glasses or contacts) in working environments having harmful exposures required to wear only approved safety glasses, protective goggles, or use other medically approved precautionary procedures?	.133(a)(3)